

**EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2790	713/193.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 12:32
L2	1492	713/193.ccls. and (operating adj1 system or ( OS.u/c.) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 12:33
L3	55	(halt\$3 near3 ((operating adj system) OS.u/c.).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 12:35
L4	0	(halt\$3 near3 ((operating adj system) OS.u/c.) and hash\$3). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 12:36
S1	17656	load\$3 near3 ( (operating adj1 system\$1) or OS.u/c. )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 15:49
S2	1019	S1 and (identif\$4 near3 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 10:29
S3	909	S2 and (processor or cpu near3 (mov\$3 jump\$3 direct\$3 allocat \$3) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 15:34
S4	385	S2 and ( (processor or cpu) near3 (mov\$3 jump\$3 direct\$3 allocat\$3) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 10:29
S5	59	S4 and ( ( halt\$3 or stop\$3 or disabl\$3) near (computer or processor or cpu) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 15:54
S6	1274	713/193.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 15:54

S7	653	713/193.ccls. and (operating adj1 system or ( OS.u/c. ) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 15:55
S8	63	713/193.ccls. and (load\$3 near3 (operating adj1 system or ( OS.u/c. ) ) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 15:56
S9	189	(713/193.ccls. or 713/189.ccls. or 713/190.ccls. or 713/191.ccls. or 713/192.ccls. or 726/1.ccls. or 726/2.ccls.) and (load \$3 near3 (operating adj1 system or ( OS.u/c. ) ) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 15:57
S10	164	(713/193.ccls. or 713/189.ccls. or 713/190.ccls. or 713/191.ccls. or 713/192.ccls. or 726/1.ccls. or 726/2.ccls.) and (load \$3 near3 (operating adj1 system or ( OS.u/c. ) ) ) and (ID or identi\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 15:58
S11	116	(713/193.ccls. or 713/189.ccls. or 713/190.ccls. or 713/191.ccls. or 713/192.ccls. or 726/1.ccls. or 726/2.ccls.) and (load \$3 near3 (operating adj1 system or ( OS.u/c. ) ) ) and ( (ID or identi\$5) near3 memory or (hard adj2 drive) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 07:57
S12	170	(713/193.ccls. or 713/189.ccls. or 713/190.ccls. or 713/191.ccls. or 713/192.ccls. or 726/1.ccls. or 726/2.ccls.) and (load \$3 near3 (operating adj1 system or ( OS.u/c. ) ) ) and ( (ID or identi\$5) near3 memory or (hard adj2 (drive) or dis\$1) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 15:59
S13	29	(713/193.ccls. or 713/189.ccls. or 713/190.ccls. or 713/191.ccls. or 713/192.ccls. or 726/1.ccls. or 726/2.ccls.) and (load \$3 near3 (operating adj1 system or ( OS.u/c. ) ) ) and ( (ID or identi\$5) near3 (memory or (hard adj2 drive)) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:17
S14	8	(713/193.ccls.) and (load\$3 near3 (operating adj1 system or ( OS.u/c. ) ) ) and ( (ID or identi\$5) near3 (memory or (hard adj2 drive)) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 10:48

S15	2	"20030163723"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 15:33
S16	399	(eras\$3 or delet\$3 or remov\$3) adj3 hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 14:08
S17	339	(eras\$3 or delet\$3 or remov\$3) adj2 hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 14:09
S18	23	(eras\$3 or delet\$3 or remov\$3) adj2 hash and hash.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 14:09
S19	2	digest adj1 signing adj1 engine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 15:40
S20	3	digest adj1 engine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 10:44
S21	19	digest adj3 engine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 15:42
S22	4	713/200.cols.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 10:42
S23	2	"20030163723"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 10:28
S24	1484	713/193.cols.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 10:28
S25	9523	load\$3 near3 ( (operating adj1 system\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 10:29

S26	792	S25 and (identif\$4 near3 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 10:29
S27	1723	S25 and ( (processor or cpu) near3 (mov\$3 jump\$3 direct\$3 allocat\$3) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 10:29
S28	4	"6938164"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 10:50
S29	5	"6938164"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 17:25
S30	20121	load\$3 near3 ( (operating adj1 system\$1) or OS.u/c. )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 17:48
S31	2133	load\$3 near3 ( (operating adj1 system\$1) or OS.u/c. ) and (identif\$4 near4 (memory storage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 17:49
S32	27	load\$3 near3 ( (operating adj1 system\$1) or OS.u/c. ) and (identif\$4 near4 (memory storage)) and (hash with sign \$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 09:42
S33	2303	(hash\$3 digest) with (channel tunnel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 09:43
S34	105	(hash\$3 digest) with (channel tunnel) with (secure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 09:46
S35	99	(hash\$3 digest) with (channel tunnel) with (sign\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 09:47
S36	34853517	(hash\$3 digest) with (channel tunnel) with (sign\$3) and@ad<"20020225"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 09:47

S37	62	(hash\$3 digest) with (channel tunnel) with (sign\$3) and @ad<"20020225"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 09:49
S38	10	(hash\$3 digest) with (channel tunnel) with (sign signing signed signs) and @ad<"20020225"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 09:57
S39	48	(hash\$3 digest) with (sign signing signed signs) same (channel) and @ad<"20020225"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 09:59
S40	6	(hash\$3 digest) with (sign signing signed signs) same ( (secure encrypt\$3) near2 (channel) ) and @ad<"20020225"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:05
S41	11	(hash\$3 digest) with (sign signing signed signs) same ( (secure encrypt\$3) with (channel) ) and @ad<"20020225"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:06
S42	27	(hash\$3 digest) with (sign signing signed signs) same ( (secure encrypt\$3) with (channel path link tunnel) ) and @ad<"20020225"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:16
S43	688	(signature) same ( (secure encrypt\$3) with (channel path link tunnel) ) and @ad<"20020225"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:17
S44	443	(signature) same ( (secure encrypt\$3) near3 (channel path link tunnel) ) and @ad<"20020225"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:17
S45	394	(signature) same ( (secure encrypt\$3) near2 (channel path link tunnel) ) and @ad<"20020225"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:17
S46	77	(signature) same ( (secure encrypt\$3) near2 (channel path link tunnel) same (access\$3 retriev\$3) ) and @ad<"20020225"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 11:05
S47	372	713/193.xls. and (secure encrypted secured) with (channel link path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 11:06

S48	38	713/193.cds. and (secure encrypted secured) with (channel link path) same (signature hash digest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 11:06
S49	20	713/193.cds. and (secure encrypted secured) with (channel link path) same (signature hash digest) and @ad<"20020215"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 11:07
S50	2	"20010020274"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 15:33
S52	12	(hash digest) with version with (processor cpu) and @ad<"20020225"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 15:53
S53	2	"20030163723"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 15:52
S55	11	(hash digest) with (platform near2 information) and @ad<"20020225"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 16:02
S56	178	"6330670"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 10:47
S57	4	"20020004900"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 10:47
S58	2	"20030002668"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 10:47
S59	2	"20030112008"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 10:48
S60	3	"20030188156"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 10:48

S61	2	"20030231328"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 10:48
S62	2	"20030235175"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 10:48
S63	257	"4529870"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 10:48
S64	360753	"318"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 10:48
S65	219	"4843541"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 10:48
S66	42	"4974159"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 10:48
S67	28	"5628023"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 10:48
S68	70	"5680547"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 10:48
S69	234	"5815665"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 10:49
S70	76	"5944821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 10:49
S71	26	"6138239"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 10:49

S72	4	"6473508"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 10:49
S73	29	"6473800"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 10:49
S74	47	"6496847"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 10:49
S75	4	"6988250"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 10:49
S76	2	"7028147"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 10:49
S77	2	"7028149"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 10:49
S78	2	"7133990"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 10:49
S79	4	"7165181"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 10:49
S80	40	(hash digest) with version with (processor cpu)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 14:37
S81	32	(hash digest) with (platform with information) and @ad<"20020225"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 14:37
S82	20	(hash digest) with version with (processor cpu) not \$3seal\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 14:34

S83	20	(hash digest) with version with (processor cpu) not \$3seal\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 14:37
S84	32	(hash digest) with (platform with information) and @ad<"20020225" not \$3seal\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 14:38
S85	2287	713/193.col.s	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/15 16:08
S86	2	"20040243838"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/15 16:15
S87	2	"20030163723"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 12:43
S88	2462	713/193.col.s	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/20 14:05
S89	2624	713/193.col.s	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/19 13:28
S90	11	(hash\$3 digest) with (sign signing signed signs) same ( (secure encrypt\$3) with (channel) ) and @ad<"20020225"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/19 13:29
S91	41	load\$3 near3 ( (operating adj1 system\$1) or OS.u/c.) and (identif\$4 near4 (memory storage)) and (hash with sign \$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/19 13:29

6/25/2009 12:48:56 PM

C:\Documents and Settings\jgee\My Documents\EAST Workspaces\10085839b.wsp